



# MedeA P3C

Polymer Property Prediction using Correlations

## At-a-Glance

*MedeA*®<sup>1</sup> *P3C* computes a wide range of properties using empirical correlations for any desired thermoplastic polymer system. *MedeA* provides an extensive library of repeat units and *MedeA P3C* can use any sketched or standard repeat unit as input. *MedeA P3C* determines properties for polymer and copolymer systems using correlative methods. Additionally, the descriptors that *MedeA P3C* employs can be used to create 'designer correlations' for specific polymer types. These correlations maximize accuracy with restricted correlation scope.

## Key Benefits

- Rapid evaluation of polymer and copolymer properties
- Establish the underlying molecular basis for key properties
- Validated correlations based on topological indices
- Designer correlations for targeted system analysis

*MedeA P3C* computes polymer properties using correlations. A particular merit of the *MedeA P3C* method is that it employs valence based descriptors, and is therefore more general than methods that rely solely on the presence of chemical groups and their mole fractions within target polymers. *MedeA P3C* is integrated within *MedeA* so you can access a large library of standard polymers, sketch any desired repeat unit, and rapidly compute properties. Interactively access results and compute properties with *MedeA Flowcharts* using the JobServer, in order to easily share results with coworkers. Employ *MedeA P3C* to compute the properties of both individual polymers and random copolymers.

*MedeA P3C* employs the core methodology de-

<sup>1</sup> MedeA and Materials Design are registered trademarks of Materials Design, Inc.

scribed by Jozef Bicerano<sup>2</sup> sometimes known as the *Synthia* method originally developed at Dow Chemical. The *MedeA P3C* implementation extends the original methodology with a number of additional correlations for specific properties.

Thermophysical Properties:			
Property	Value	Units	
Wv	30.48	cm <sup>3</sup> /mol	van der Waals
g1	32.17	dyn/cm	Surface tension
g2	30.39	dyn/cm	Surface tension
DCp	22.36	J/molK	Change in heat capacity
aT	786.29	10 <sup>-6</sup> K	Coefficient of thermal expansion
Td12	650.17	K	Temperature
V	49.04	cm <sup>3</sup> /mol	Molar volume
Density	0.86	g/cm <sup>3</sup>	From repeat unit
Ecoh1	13774.69	J/mol	Cohesive energy density
Ecoh2	12646.09	J/mol	Cohesive energy density
solubility1	16.76	(J/mol/cm <sup>3</sup> ) <sup>0.5</sup>	Solubility parameter
solubility2	16.06	(J/mol/cm <sup>3</sup> ) <sup>0.5</sup>	Solubility parameter
Cp	71.66	J/(molK)	Heat capacity
Cpl	93.1	J/(molK)	Heat capacity
Ps	230.7	(cm <sup>3</sup> /mol) (dyn/cm) <sup>0.25</sup>	Molar polarizability
Tg		K	Glass transition temperature

  

Electronic Properties:			
Property	Value	Units	
Ref	1.47	Ratio	Refractive index
Rm	13.71	Jmol <sup>-1</sup> -K	Molar refraction
Dmagn	34.46	10 <sup>-6</sup> /mol	Diamagnetic susceptibility
diel	2.26	-	Dielectric constant
volres	2.96e+018	ohm.cm	Volume resistivity

  

Mechanical Properties:			
Property	Value	Units	
v298K	0.41	Ratio	Poisson's ratio

Figure 1: An interactive property calculation for polypropylene in MedeA showing a polypropylene repeat unit, with head (green) and tail (red) bonds, superimposed above an interactively updated property report. As modifications to the repeat unit are made using the MedeA molecular editor, the property report is updated in real time, providing an immediate link between structure and physical properties.

*'The ability to predict the key physical and chemical properties of polymers from their molecular structures prior to synthesis is of great value in designing polymers.'*

Jozef Bicerano: in Prediction of Polymer Properties

<sup>2</sup> J. Bicerano, *Prediction of Polymer Properties*, Marcel Dekker, Inc. (2002)

## Predicted Properties Include:

### Thermophysical

- Glass transition temperature,  $T_g$
- Temperature of half decomposition
- Change in molar heat capacity at  $T_g$
- Coefficient of volumetric thermal expansion
- Cohesive energy
- $C_p$  of liquid
- $C_p$  of solid
- Density
- Molar volume
- Solubility parameter
- Surface tension
- van der Waals volume
- Thermal conductivity

### Electronic and Optical

- Diamagnetic susceptibility
- Dielectric constant
- Molar refraction
- Refractive index
- Volume resistivity

### Mechanical

- Brittle fracture stress
- Bulk modulus
- Poisson's ratio
- Shear modulus
- Shear yield stress
- Young's modulus

### Entanglement

- Entanglement molecular weight
- Entanglement length
- Critical molecular weight
- Steric hindrance parameter
- Characteristic ratio
- Molar stiffness function
- Additive portion of molar viscosity-temperature function
- Activation energy for viscous flow at zero flow rate
- Zero-shear viscosity

### Transport

- Permeability to  $\text{CO}_2$ ,  $\text{N}_2$ , and  $\text{O}_2$
- Zero shear viscosity
- Diffusion coefficients for  $\text{N}_2$  and  $\text{O}_2$

### Key Features

- Reports a wide range of physical properties
- Supports interactive updates as structural modifications are made
- Computes the properties of sets of polymers using *MedeA Flowcharts*
- Provides access to property descriptors to create custom correlations
- Computes the properties of random copolymers as well as homopolymers
- Reports descriptors and computes properties for use in *MedeA Flowcharts*

### Required Modules

- *MedeA Environment*

### Related Modules

- *MedeA QT* creates QSPR models for molecules and materials

### Find Out More

Learn more about how *MedeA P3C* provides polymer properties and materials design insights in the [Materials Design Application Notes](#):

- [Computing Polymer Properties Using Correlations](#)

Learn more about building repeat units in *MedeA* here: [How to Build a Polymer with Customized Repeat Unit](#)

Learn about building extended polymer models in this online tutorial: [How to Build a Polymer](#)